

FOAM-LOK SPRAY ADHESIVE AEROSOL SPRAY CAN

Material Safety Data Sheet

Section 1 • IDENTIFIERS

Emergency Phone: 1-800-424-9300

Form Date: 11/16/99

Section 2 • COMPOSITION

Hazardous Ingredients

	CAS#	%/Wt	OSHA PEL	ACGIH TLV
Cyclohexane	110-82-7	16-21%	300ppm	300ppm
Hexane	110-54-3	24-29%	50ppm	50ppm
Dimethyl Ether	115-10-6	30-40%	Not Est.	1000ppm

Warning: This product contains a chemical(s) that are known to the state of California to cause cancer and reproductive harm.

HMIS/NFPA

	HMIS	NFPA
Health	2 Moderate	Moderate
Flammability	4 Severe	Extreme

Section 3 • PHYSICAL & CHEMICAL CHARACTERISTICS

Specific Gravity:	0.794, Concentrate
Vapor Pressure:	mm.HG: 55 PSIG, Aerosol
Evaporation Rate:	Slower
Appearance:	Green Liquid / Web Spray
Odor:	Solvent odor

Section 4 • FIRE & EXPLOSION DATA

Flammability:	Extremely flammable.
Extinguisher Media:	CO ₂ , Foam, Dry Chemical
Special Fire-Fighting Procedures:	Keep containers cool using water spray. Use proper equipment to protect personnel from bursting containers.
Unusual Fire & Explosion Hazards:	Contents under pressure. Do not expose to temperatures above 120°F as containers may vent, rupture, or burst.

Section 5 • PHYSICAL HAZARDS

Stability:	Stable.
Conditions To Avoid:	Heat, sparks, and open flame. Temperature >120°F.
Materials To Avoid:	Strong oxidizing agents.
Hazardous Decomposition Products:	CO, CO ₂

Section 6 • HEALTH HAZARDS

Routes of Entry:	Inhalation Yes Eyes/Skin Yes Ingestion Unlikely
------------------	---

Signs and Symptoms of Exposure

Eyes:	Liquid is painfully irritating.
Skin:	Prolonged exposure can cause a burning sensation. Repeated contact may cause defatting of skin and slight dermatitis.
Inhalation:	May cause lightheadedness, dizziness, headache, vertigo, drowsiness.
Ingestion:	Unlikely route of exposure. May cause gastrointestinal irritation. High concentrations can cause mental confusion, depression, fatigue, nausea, vomiting, and visual disturbance.

Emergency and First Aid Procedures

Inhalation:	Remove victim to fresh air. If breathing has stopped, administer artificial respiration. Get medical attention.
Eyes:	Immediately flush with large amounts of water for at least 15 minutes, lifting upper and lower eyelids. Get medical attention if irritation persists.
Skin:	Remove contaminated clothing and launder before reuse. Wash exposed areas with soap and water. Get medical attention if irritation develops or persists.
Ingestion:	Do not induce vomiting. Get medical attention immediately.

Section 7 • SPECIAL PROTECTION INFORMATION

Ventilation:	Maintain adequate ventilation to keep below TWA.
Protective Gloves:	Chemical-resistant if contact causes irritation.
Eye Protection:	Glasses or goggles if exposure likely.
Other:	Wash hands after use. Keep out of reach of children.

continued ...

Section 8 • SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

Handling & Storage: Store in a dry, cool area away from heat and sources of ignition. Keep lid on this container when not in use. Contents are pressurized. Do not leave in a hot car or an area warmer than 120°F. Keep out of reach of children. Do not spray towards face.

Other Precautions: Read label precautions carefully.

Material Released or Spilled: For large amounts spilled, ventilate area to avoid exposure to vapors. Soak up spilled liquid with absorbent material. Place in closed drum for proper disposal.

Waste Disposal Methods: Dispose of in accordance with local, state, and federal regulations.

Other

We believe all information given is accurate. It is offered in good faith, but without guarantee. Since conditions are beyond our control, user assumes all responsibility and risk.